



 **Nordic** Svensk
EcoEnergy Återförsäljare
Nordic Eco Energy AB
Tel. 070-644 28 16 - info@nordicecoenergy.se - www.nordicecoenergy.se

NEW PRODUCTS 2024

OSMONT®

Czech premium lighting



PRODUCT LINE

SUBRA S

A new line of cylindrical pendant lights, offered in sizes from Ø50x520 mm to impressive Ø550x1510 mm.

Base: Cable pendant with LED system of our own design

Shade material: Matt polymethyl methacrylate - PMMA

Shade size: od Ø50x520 mm do Ø550x1510 mm

Equipment: ON / OFF, DALI

Colors: white, black



SUBRA S1

Pendant fixture
Cable hanger with matt
PMMA shade
Ø 50 x 520mm
IP20 / LED 12W / 3000K / 4000K



SUBRA S2

Pendant fixture
Cable hanger with matt
PMMA shade
Ø 50 x 1005mm
IP20 / LED 24W / 3000K / 4000K



SUBRA S3

Pendant fixture
Cable hanger with matt
PMMA shade
Ø 50 x 1490mm
IP20 / LED 37W / 3000K / 4000K



SUBRA S4

Pendant fixture
Cable hanger with matt
PMMA shade
Ø 150 x 555mm
IP20 / LED 45W / 3000K / 4000K




SUBRA S5

Pendant fixture
Cable hanger with matt
PMMA shade
Ø 150 x 1030mm
IP20 / LED 82W / 3000K / 4000K



SUBRA S6

Pendant fixture
Cable hanger with matt
PMMA shade
Ø 150 x 1510mm
IP40 / LED 120W / 3000K / 4000K





PRODUCT LINE

ZETA, ZETA ST

A new series of circular surface mounted (ZETA) and pendant (ZETA ST) luminaires, offered in two functional versions; in direct (FP) or indirect (PF) lighting. For these products, we present unique new colors – gray, golden beach, terracotta, and olive.

Base: ZETA - metal / ZETA ST - textile cable hanger, both with LED system of our own design

Shade material: Matt polymethyl methacrylate - PMMA

Shade size: Ø400 mm, Ø600 mm

Equipment: ON / OFF, DALI

Color design: white, black, gray, sand, terracotta, olive



ZETA 1 - FP DIRECT LIGHTING

Surface mounted fixture
Metal base with matt
PMMA shade
Ø 400mm
IP40 / LED 31W / 3000K / 4000K



ZETA 1 - PF INDIRECT LIGHTING

Surface mounted fixture
Metal base with matt
PMMA shade
Ø 400mm
IP40 / LED 31W / 3000K / 4000K



ZETA 2 - FP DIRECT LIGHTING

Surface mounted fixture
Metal base with matt
PMMA shade
Ø 600mm
IP40 / LED 38W / 3000K / 4000K



ZETA 2 - PF INDIRECT LIGHTING

Surface mounted fixture
Metal base with matt
PMMA shade
Ø 600mm
IP40 / LED 38W / 3000K / 4000K



ZETA ST1 - FP DIRECT LIGHTING

Pendant fixture
Textile cable hanger with matt
PMMA shade
Ø 400mm
IP40 / LED 31W / 3000K / 4000K



ZETA ST1 - PF INDIRECT LIGHTING

Pendant fixture
Textile cable hanger with matt
PMMA shade
Ø 400mm
IP40 / LED 31W / 3000K / 4000K



ZETA ST2 - FP DIRECT LIGHTING

Pendant fixture
Textile cable hanger with matt
PMMA shade
Ø 600mm
IP40 / LED 38W / 3000K / 4000K



ZETA ST2 - PF INDIRECT LIGHTING

Pendant fixture
Textile cable hanger with matt
PMMA shade
Ø 600mm
IP40 / LED 38W / 3000K / 4000K





PRODUCT LINE

LUKIDA, LUKIDA ST

A new range of spherical surface mounted (LUKIDA) and suspended (LUKIDA ST) fixtures, which are fitted with a large decorative metal collar. We present unique new colors for these products as well – gray, sand, terracotta, and olive.

Base: LUKIDA – plastic with metal collar / ZETA ST – textile cable hanger with a metal collar, both with an LED system of our own design or with an E27 socket

Material of the lampshade: Handmade matt three-layer glass TRIPLEX OPAL

Shade size: Ø300 mm, Ø400 mm

Equipment: ON / OFF, DALI

Color design: white, black, gray, sand, terracotta, olive (the inside of the decorative collar is always white)



LUKIDA 2

Surface mounted fixture
Base with a decorative
metal collar and TRIPLEX OPAL
glass shade

Ø 300mm

IP65 / E27 or LED 20W / 3000K / 4000K



LUKIDA 3

Surface mounted fixture
Base with a decorative
metal collar and TRIPLEX OPAL
glass shade

Ø 400mm

IP65 / E27 or LED 27W / 3000K / 4000K



LUKIDA ST2

Pendant fixture
Textile cable hanger with
a decorative metal collar and
TRIPLEX OPAL glass shade

Ø 300mm

IP40 / E27 or LED 20W / 3000K / 4000K



LUKIDA ST3

Pendant fixture
Textile cable hanger with
a decorative metal collar and
TRIPLEX OPAL glass shade

Ø 400mm

IP40 / E27 or LED 27W / 3000K / 4000K





PRODUCT LINE

ANCHA

The new series of spherical wall lamps ANCHA, is characterized by a visually interesting metal construction. We present unique new colors for these products as well – grey, sand, terracotta, and olive.

Base: metal construction with E27 socket

Material of the shade: Handmade matt three-layer glass TRIPLEX OPAL

Shade size: Ø200 mm, Ø250 mm

Equipment: ON / OFF

Color design: white, black, gray, golden beach, terracotta, olive



ANCHA 1

Wall mounted fixture
Metal construction with
TRIPLEX OPAL glass shade

Ø 200mm

IP40 / E27



ANCHA 2

Wall mounted fixture
Metal construction with
TRIPLEX OPAL glass shade

Ø 250mm

IP40 / E27



PRODUCT
GIEDI 2

We present the new GIEDI linear fixture, which is now available as an alternative to the SYLVIA glass lamp. The main advantage of this light is the high mechanical resistance IK10.

Base: metal frame with an LED system of our own design or with an E27 socket

Shade material: opal polycarbonate

Shade size: Ø610 mm, Ø105 mm

Equipment: ON / OFF, DALI

Color design: white



GIEDI 2

Surface mounted fixture
Metal base with a polycarbonate shade

Ø 610 x 105mm

IP44 / E27 or LED 18W

3000K / 4000K



PRODUCT IP65
SADIRA 2

We present the SADIRA 2 circular fixture, which is another product with high-protection IP65. High protection IP65, together with high mechanical resistance IK10, makes this product suitable even for more demanding spaces.

Base: plastic with LED system of our own design or with E27 socket

Shade material: opal polycarbonate

shade size: Ø300 mm

Equipment: ON / OFF, DALI

Color design: white



SADIRA 2

Surface mounted fixture
Metal base with polycarbonate shade

Ø 300mm

IP65 / E27 or LED 9-13W

3000K / 4000K





PRODUCT LINE

KRUGER

KRUGER - The new range of circular surface-mounted luminaires, which is offered with 3 different types of shade. Shades are opal, opal prismatic with a lower glare index and a unique design black.

Base: metal frame with LED system of our own design or with E27 socket
Shade material: opal plastic (FO), prismatic opal plastic (FOP), black plastic (FC)

Shade size: Ø300 - Ø490mm

Equipment: ON / OFF, DALI, emergency 3H module, HF motion sensor, CORRIDOR

Color design: white, black



KRUGER 1 - FO

Surface mounted fixture
Base with a metal collar
and opal plastic shade

Ø 300mm

IP40 / E27 or LED 13-18W

3000K / 4000K





KRUGER 1 - FOP LOWER Rug

Surface mounted fixture
Base with a metal collar
and opal prismatic plastic shade
Ø 300mm
IP40 / LED 13-18W
3000K / 4000K



KRUGER 1 - FC BLACK SHADE

Surface mounted fixture
Base with a metal collar
and black plastic shade
Ø 300mm
IP40 / or LED 18W
3000K / 4000K



KRUGER 2 - FO

Surface mounted fixture
Base with a metal collar
and opal plastic shade
Ø 400mm
IP40 / E27 or LED 24-34W
3000K / 4000K



KRUGER 2 - FOP LOWER Rug

Surface mounted fixture
Base with a metal collar
and opal prismatic plastic shade
Ø 400mm
IP40 / LED 24-34W
3000K / 4000K



KRUGER 2 - FC BLACK SHADE

Surface mounted fixture
Base with a metal collar
and black plastic shade
Ø 400mm
IP40 / LED 34W
3000K / 4000K



KRUGER 3 - FO

Surface mounted fixture
Base with a metal collar
and opal plastic shade
Ø 490mm
IP40 / E27 or LED 32-48W
3000K / 4000K



KRUGER 3 - FOP LOWER Rug

Surface mounted fixture
Base with a metal collar
and opal prismatic plastic shade
Ø 490mm
IP40 / LED 24-34W
3000K / 4000K



KRUGER 3 - FC BLACK SHADE

Surface mounted fixture
Base with a metal collar
and black plastic shade
Ø 490mm
IP40 / LED 48W
3000K / 4000K





PRODUCT LINE

KRUGER P

The new series of KRUGER P circular lamps with rod suspension. The same as a surface-mounted variant (KRUGER) it is offered with 3 different types of shades. These are opal, opal prismatic with a lower glare index and unique design black shades.

Base: Rod pendant with LED system of our own design or with E27 socket
Shade material: opal plastic (FO), prismatic opal plastic (FOP), black plastic (FC)
Shade size: Ø300 - Ø490mm
Equipment: ON / OFF, DALI, emergency 3H module, HF motion sensor
Color design: white, black



KRUGER P1 - FO

Pendant fixture
Rod pendant with a metal collar
and opal plastic shade


Ø 300mm
IP40 / E27 or LED 13-18W
3000K / 4000K





KRUGER 1 – FOP LOWER Rug

Pendant fixture
Rod pendant with a metal
collar and opal prismatic plastic shade
Ø 300mm
IP40 / LED 13-18W
3000K / 4000K



KRUGER P1 – FC BLACK SHADE

Pendant fixture
Rod pendant with a metal collar
and black plastic shade
Ø 300mm
IP40 / LED 18W
3000K / 4000K



KRUGER P2 – FO

Pendant fixture
Rod pendant with a metal collar
and opal plastic shade
Ø 400mm
IP40 / E27 or LED 24-34W
3000K / 4000K




KRUGER P2 – FOP LOWER Rug

Pendant fixture
Rod pendant with a metal collar
and opal prismatic plastic shade
Ø 400mm
IP40 / LED 24-34W
3000K / 4000K



KRUGER P2 – FC BLACK SHADE

Pendant fixture
Rod pendant with a metal collar
and black plastic shade
Ø 400mm
IP40 / LED 34W
3000K / 4000K




KRUGER P3 – FO

Pendant fixture
Rod pendant with a metal collar
and opal plastic shade
Ø 490mm
IP40 / E27 or LED 32-48W
3000K / 4000K



KRUGER P3 – FOP LOWER Rug


Pendant fixture
Rod pendant with a metal collar
and opal prismatic plastic shade
Ø 490mm
IP40 / LED 32-48W
3000K / 4000K



KRUGER P3 – FC BLACK SHADE

Pendant fixture
Rod pendant with a metal collar
and black plastic shade
Ø 490mm
IP40 / LED 48W
3000K / 4000K





PRODUCT LINE

MATAR, MATAR LE

New surface-mounted fixtures and also a cable-free pendant MATAR LE are an addition to the current linear product MATAR. The cableless suspension system LE (SELV) is distinguished by its understated and clean appearance which is not interfered with the presence of a classic power cable.

Base: cableless LE hanger with LED system of our own design

Shade material: opal polycarbonate

Shade size: 600x60 mm - 1200x60 mm, 900x90mm

Equipment: ON / OFF, DALI, emergency 3H module

Color design: white, black



MATAR 1

Surface mounted fixture
Metal base with
polycarbonate shade
Ø 600 x 60mm
IP44 / LED 9-13W / 3000K / 4000K



MATAR 2

Surface mounted fixture
Metal base with
polycarbonate shade
Ø 900 x 60mm
IP44 / LED 14-20W / 3000K / 4000K



MATAR 3

Surface mounted fixture
Metal base with
polycarbonate shade
Ø 1200 x 60mm
IP44 / LED 18-26W / 3000K / 4000K



MATAR 5

Surface mounted fixture
Metal base with
polycarbonate shade
Ø 900 x 90mm
IP44 / LED 19-26W / 3000K / 4000K



MATAR LE1

Pendant fixture
Cableless LE pendant with
polycarbonate shade
Ø 600 x 60mm
IP40 / LED 9-13W / 3000K / 4000K



MATAR LE2

Pendant fixture
Cableless LE pendant with
polycarbonate shade
Ø 900 x 60mm
IP40 / LED 14-20W / 3000K / 4000K



MATAR LE3

Pendant fixture
Cableless LE pendant with
polycarbonate shade
Ø 1200 x 60mm
IP40 / LED 18-26W / 3000K / 4000K



MATAR LE5

Pendant fixture
Cableless LE pendant with
polycarbonate shade
Ø 900 x 90mm
IP40 / LED 19-26W / 3000K / 4000K





 **Nordic** Svensk
EcoEnergy Återförsäljare
Nordic Eco Energy AB

Tel. 070-644 28 16 - info@nordicecoenergy.se - www.nordicecoenergy.se

OSMONT®

Czech premium lighting

Osmont s.r.o.
Hybrálec 129, 586 01 Jihlava
CZECH REPUBLIC

www.osmont.cz